Google

Web   Images   Groups   News   Froogle   Local   **more »**

path column and XML documents and docume   Search   Advanced Search
Preferences

The "AND" operator is unnecessary — we include all search terms by default. [details]

Web   Results **1 - 10** of about **9,960,000** for <u>**path column** and **XML documents** and **document types**</u>. (0.43 seconds)

Mapping **XML Documents** to Tables: ODBC: Developer: Home
Implies that the full **path** to the **XML document**, including the **XML** file name, ...
Using the value of the **column**, a determination of the data **type** is made. ...
www.datadirect.com/developer/ odbc/odbc_xml_driver/index.ssp - 30k - Cached - Similar pages

Updating **XML Documents** Using the Grid
The Grid view of an **XML document** is useful for structured data - it is a ...
You can add two **types** of **columns** to tables in the Grid tab - attribute **columns** ...
www.stylusstudio.com/docs/v62/d_edit7.html - 88k - Cached - Similar pages

Document Section Searching
Use this group **type** to index **XML documents**. Behaves like the AUTO_SECTION_GROUP .
The difference is that with this section group you can do **path** searching ...
www.lc.leidenuniv.nl/awcourse/ oracle/text.920/a96517/csection.htm - 52k - Cached - Similar pages

XML Exchange Table Model **Document Type** Definition
XML Exchange Table Model **Document Type** Definition. Organization for the Advancement
of ... Number of **column**, counting from 1 at left of the table. ...
www.oasis-open.org/specs/tm9901.html - 122k - Cached - Similar pages

OASIS Web Site: TR 9503:1995 - Exchange table model **Document Type** ...
Exchange Table Model **Document Type** Definition ... Number of **column**, counting from
1 at left of the table. The value of colnum is not useful to identify a ...
www.oasis-open.org/html/a503.htm - 90k - Cached - Similar pages

Structuring **Documents** with **XML**
My next **column** will dive head first into constraining **XML** data with **document type**
definitions, or DTDs. The tutorials in this series proceed as follows: ...
www.criticism.com/dita/structuring_docs.html - 38k - Cached - Similar pages

XML & Databases
The DB2 extender gives one the option to store an entire **XML document** and its
DTD as a user-defined **column** [of **type** XMLCLOB,XMLVARCHAR or XMLFile] or to ...
www.25hoursaday.com/StoringAndQueryingXML.html - 46k - Cached - Similar pages

Thinking **XML**: The open office file format
... manifest:media-**type**="text/xml" manifest:full-**path**="content.xml"/> ... The heart
of the **document**, the actual content, is in content.**xml**. ...
www.ibm.com/developerworks/library/x-think15/ - 46k - Cached - Similar pages

XQuery 1.0 and XPath 2.0 Functions and Operators
In order to maximize interoperability of operations on **XML documents** in general,
... Thus, there is no row or **column** for this **type** in the table below. ...
www.w3.org/TR/xpath-functions/ - 866k - Cached - Similar pages

[PDF] WebDAV as storage for **XML documents**
File Format: PDF/Adobe Acrobat - View as HTML
the **XML path** /DBTechnology/WebDAV/Author as. a property of this **document** ...
SAP DB WebDAV **XML** Indexing. SAP DB WebDAV can store any **type** of **document** or ...
www.sapdb.org/7.4/pdf/webdav_xml.pdf - Similar pages

Try your search again on Google Book Search

Goooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Google Desktop Search ⚙ • 🔵 ⚡ 9:30 AM

Free! Instantly find your email, files, media and web history. Download now.

path column and XML documents ar   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	707/5 and (sume with weight with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 11:53
L2	4	707/5 and (sum with weight with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 11:54
L3	2	707/5 and (sum with weights with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 11:53
L4	6	707/5 and (sum with scores with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:17
L5	1	09/931069	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:17
L6	1	09/931069 and identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:59
L7	1	create same xml same (path near2 column)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:00
L8	3393	(document near2 types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:00

| L9 | 0 | (document near2 types) and (path near2 columm) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/23 13:00 |
| L10 | 7 | (document near2 types) and (path near2 column) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/01/23 13:00 |